Smokebracket instructions.





Smokebracket

Here is your brand new TOP GUN smoke bracket TUNEDBYJLO. Please note that the use of this smoke bracket is on your own responsibility. TUNEDBYJLO is not responsible for any damage witch is caused by the use of this smokebracket. Improper use of this bracket can cause in serious injuries and even death. Only proper use and training will give you save use of this bracket.

If you have never jumped with smoke, please ask an instructor or someone who has experience to show you how it's done. The bracket is mounted on your left shoe to make the change of entanglement with you pilot chute as small as possible. If your bracket is not well secured it can cause serious injuries, dead or damage, for persons or objects on the ground. Please take your time for proper training on the ground before using this bracket on a skydive.

Check the Velcro, on cuts, tears or wearing every time you use the bracket.

The bracket is designed to be used for different kind of smoke grenades please use the metal bands or use Ducktape. Be sure the heat of the smokegranedes will not melt the Ducktape and separate the smoke granades from the bracket. The metal bands you can adjust to every length. Cut a way all the metal band that you do not use.

Ground preparing

Take some time on the ground preparing you smoke bracket for your jump be sure the smoke grenade is well secured.



Open all Velcro straps on the bracket. Put the nose of your shoe in first and put your heel against the leading edge at the back of the bracket. Pull the front Velcro strap up and close this to the right.



Take the black Velcro strap and hold this tight over the top of your shoe. Then close this by putting the red Velcro on top. Before closing it all the way take the heel strap, pull this tight and put the strap under the red Velcro before closing it all the way down. Then check the fit by shaking your shoe. If the bracket is to lose adjust it.



TUNEDBYJLO 2013 2

TUNED

Smokebracket instructions.

How to use the quick-release





This bracket has a quick release if you want to get free of the bracket before landing. On the top red Velcro strap is a black handle. Just by pulling this handle in one straight motion, you will release the top and heel Velcro strap.





After pulling release the handle let go of the black handle and shake your shoe till the bracket hangs on the top of the nose of your shoe. Then check if ground is free and kick it lose. I recommend you kick if free not above 50ft. The bracket is made to land without releasing, the smoke canister. It is as level as the sole of your shoe so you can easily land with the bracket attached to your shoe. *No high speed landings!!*





Smokebracket instructions.



Important

Please check the Velcro on tears or cuts on the place were the Velcro goes trough the bracket. Be sure your heel is behind the edge and the Velcro is behind the upper part of your heel. If the Velcro wears out please replace this !!



If you jump the smoke bracket it is handy to put a cord on the pin of the smoke grenade and tape this with some Ducktape to you bootie or jumpsuit. Beware of the fact that many smoke grenades need a few seconds to ignite so take your time before you are on exit point.



If you make a canopy ride and hop and pop exit let the smoke get out at the back of your shoe. If you use this for freefly bellyfly or wingsuit let the smoke get out in front of your shoe. On bellyfly or wingsuit your shoe will be lifted up and the smoke will have the most natural way to leave the smoke canister.

And last but not least do not throw your smoke grenade cover or cap and your cord out of the plane, lets be careful on our environment. If you have any questions or tips please let me know.

Thanks for your time reading these instructions, enjoy your new bracket.